

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

Provider Number	Nursing Home Name	Street
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

City	State	Zip Code	Phone	Survey Date	Date of Correction
BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	04/04/2008	04/25/2008
BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	04/04/2008	04/25/2008
BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	04/04/2008	04/14/2008
BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	04/04/2008	04/23/2008
BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	05/01/2009	06/15/2009
BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	05/01/2009	05/01/2009
BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	05/01/2009	05/07/2009

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

Deficiency Type	Deficiency Category
Health	Environmental Deficiencies
Fire Safety	Vertical Openings Deficiencies
Fire Safety	Smoke Compartmentation and Control Deficiencies
Fire Safety	Exits and Egress Deficiencies
Health	Environmental Deficiencies
Fire Safety	Hazardous Area Deficiencies
Fire Safety	Automatic Sprinkler Systems Deficiencies

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

Deficiency	Scope	Level of Harm
Be designed, built, equipped, or well kept to protect the health and safety of residents, workers, and the public.	Pattern	Minimal harm or potential for actual harm
exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.	Isolated	Minimal harm or potential for actual harm
smoke barrier doors that can resist smoke for at least 20 minutes.	Pattern	Minimal harm or potential for actual harm
exits that are accessible at all times.	Widespread	Potential for minimal harm
Be designed, built, equipped, or well kept to protect the health and safety of residents, workers, and the public.	Isolated	Minimal harm or potential for actual harm
construction that can resist fire for one hour or an approved fire extinguishing system.	Isolated	Minimal harm or potential for actual harm
an approved automatic sprinkler system connected to the fire alarm system.	Isolated	Minimal harm or potential for actual harm

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315009	RUNNELLS SPECIALIZED HOSPITAL	40 WATCHUNG WAY
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND	35 COTTAGE STREET

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	05/01/2009	05/01/2009
BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	05/01/2009	06/15/2009
BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	05/01/2009	06/15/2009
BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	06/24/2010	07/13/2010
BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	06/24/2010	06/25/2010
BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	06/24/2010	07/31/2010
BERKELEY HEIGHTS	NJ	07922	(908) 771-5807	06/24/2010	07/13/2010
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	09/12/2008	10/22/2008
BERKELEY	NJ	07922	(908) 464-0048	09/12/2008	11/19/2008

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Automatic Sprinkler Systems Deficiencies

Fire Safety

Smoking Regulations Deficiencies

Fire Safety

Building Service Equipment Deficiencies

Health

Environmental Deficiencies

Fire Safety

Corridor Walls and Doors Deficiencies

Fire Safety

Fire Alarm Systems Deficiencies

Fire Safety

Automatic Sprinkler Systems Deficiencies

Health

Resident Rights Deficiencies

Health

Environmental Deficiencies

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

automatic sprinkler systems that have been maintained in working order.	Isolated	Minimal harm or potential for actual harm
posted "No-smoking" signs in areas where smoking is not permitted or did not provide ashtrays where smoking was allowed.	Isolated	Minimal harm or potential for actual harm
properly protected cooking facilities.	Isolated	Minimal harm or potential for actual harm
Be designed, built, equipped, or well kept to protect the health and safety of residents, workers, and the public.	Widespread	Minimal harm or potential for actual harm
corridor and hallway doors that block smoke.	Pattern	Minimal harm or potential for actual harm
an approved installation, maintenance and testing program for fire alarm systems.	Isolated	Minimal harm or potential for actual harm
automatic sprinkler systems that have been maintained in working order.	Widespread	Minimal harm or potential for actual harm
Keep each resident's personal and medical records private and confidential.	Isolated	Minimal harm or potential for actual harm
Make sure that the nursing home	Isolated	Actual harm

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

BERKELEY HEIGHTS	NJ	07922	(908) 464-0048		
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	09/12/2008	10/22/2008
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/17/2009
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/24/2009
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/17/2009
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/24/2009
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/12/2009

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

Health

Environmental Deficiencies

Health

Nutrition and Dietary Deficiencies

Health

Mistreatment Deficiencies

Health

Mistreatment Deficiencies

Health

Mistreatment Deficiencies

Health

Resident Assessment Deficiencies

Health

Resident Assessment Deficiencies

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

Make sure that the nursing home area is free of dangers that cause accidents.	Isolated	Actual harm
Store, cook, and give out food in a safe and clean way.	Widespread	Minimal harm or potential for actual harm
Protect each resident from all abuse, physical punishment, and being separated from others.	Pattern	Immediate jeopardy to resident health or safety
1) Hire only people who have no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Pattern	Minimal harm or potential for actual harm
Write and use policies that forbid mistreatment, neglect and abuse of residents and theft of residents' property.	Pattern	Immediate jeopardy to resident health or safety
Make a complete assessment that covers all questions for areas that are listed in official regulations.	Isolated	Actual harm
Develop a complete care plan that meets all of a resident's needs, with timetables and	Isolated	Immediate jeopardy to resident health or safety

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/24/2009
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/12/2009
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/24/2009
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/24/2009
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/24/2009
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/17/2009
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/24/2009
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/24/2009

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Health

Environmental Deficiencies

Health

Administration Deficiencies

Health

Administration Deficiencies

Fire Safety

Hazardous Area Deficiencies

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

actions that can be measured.		
Give professional services that meet a professional standard of quality.	Isolated	Minimal harm or potential for actual harm
Make sure that residents who cannot care for themselves receive help with eating/drinking, grooming and hygiene.	Isolated	Immediate jeopardy to resident health or safety
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Isolated	Actual harm
Make sure that the nursing home area is free of dangers that cause accidents.	Isolated	Minimal harm or potential for actual harm
Make sure that the nursing home area is safe, easy to use, clean and comfortable.	Widespread	Minimal harm or potential for actual harm
Be administered in a way that leads to the highest possible level of well being for each resident.	Pattern	Immediate jeopardy to resident health or safety
Keep accurate and appropriate medical records.	Isolated	Minimal harm or potential for actual harm
construction that can resist fire for one hour or an approved fire extinguishing system.	Isolated	Minimal harm or potential for actual harm

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET
315195	BERKELEY HEIGHTS NURSING AND REHABILITATION CENTER	35 COTTAGE STREET

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	08/12/2009	08/24/2009
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	10/07/2010	11/18/2010
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	10/07/2010	11/18/2010
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	10/07/2010	11/18/2010
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	10/07/2010	11/18/2010
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	10/07/2010	11/18/2010
BERKELEY HEIGHTS	NJ	07922	(908) 464-0048	10/07/2010	11/18/2010
BERKELEY	NJ	07922	(908) 464-0048	10/07/2010	11/18/2010

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Automatic Sprinkler Systems Deficiencies

Health

Mistreatment Deficiencies

Health

Mistreatment Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Health

Environmental Deficiencies

Health

Administration Deficiencies

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

portable fire extinguishers.	Isolated	Minimal harm or potential for actual harm
Protect residents from mistreatment, neglect, and/or theft of personal property.	Pattern	Minimal harm or potential for actual harm
1) Hire only people who have no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Pattern	Minimal harm or potential for actual harm
Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Pattern	Minimal harm or potential for actual harm
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Isolated	Minimal harm or potential for actual harm
Make sure that the nursing home area is free of dangers that cause accidents.	Pattern	Minimal harm or potential for actual harm
Make sure that the nursing home area is safe, easy to use, clean and comfortable.	Widespread	Minimal harm or potential for actual harm
Keep accurate and appropriate	Isolated	Minimal harm or potential for actual

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

	REHABILITATION CENTER	
315474	BERKELEY MEADOWS	311 SPRINGFIELD AVENUE
315474	BERKELEY MEADOWS	311 SPRINGFIELD AVENUE
315474	BERKELEY MEADOWS	311 SPRINGFIELD AVENUE
315474	BERKELEY MEADOWS	311 SPRINGFIELD AVENUE
315474	BERKELEY MEADOWS	311 SPRINGFIELD AVENUE
315474	BERKELEY MEADOWS	311 SPRINGFIELD AVENUE
315474	BERKELEY MEADOWS	311 SPRINGFIELD AVENUE
315474	BERKELEY MEADOWS	311 SPRINGFIELD AVENUE
315474	BERKELEY MEADOWS	311 SPRINGFIELD AVENUE

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

HEIGHTS

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	07/02/2008	07/31/2008
---------------------	----	-------	----------------	------------	------------

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	07/02/2008	07/31/2008
---------------------	----	-------	----------------	------------	------------

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	07/02/2008	07/31/2008
---------------------	----	-------	----------------	------------	------------

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	07/02/2008	01/01/1900
---------------------	----	-------	----------------	------------	------------

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	07/02/2008	01/01/1900
---------------------	----	-------	----------------	------------	------------

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	07/02/2008	01/01/1900
---------------------	----	-------	----------------	------------	------------

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	07/02/2008	01/01/1900
---------------------	----	-------	----------------	------------	------------

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	08/05/2009	08/31/2009
---------------------	----	-------	----------------	------------	------------

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	08/05/2009	01/01/1900
---------------------	----	-------	----------------	------------	------------

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

Health

Resident Rights Deficiencies

Health

Resident Assessment Deficiencies

Health

Quality Care Deficiencies

Health

Environmental Deficiencies

Fire Safety

Building Construction Deficiencies

Fire Safety

Exits and Egress Deficiencies

Fire Safety

Exits and Egress Deficiencies

Health

Pharmacy Service Deficiencies

Health

Environmental Deficiencies

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

medical records.		harm
Keep each resident's personal and medical records private and confidential.	Isolated	Minimal harm or potential for actual harm
Make a complete assessment that covers all questions for areas that are listed in official regulations.	Isolated	Minimal harm or potential for actual harm
Make sure that residents receive treatment/services to continue to be able to care for themselves, unless a change is unavoidable.	Isolated	Minimal harm or potential for actual harm
Provide rooms that are big enough for each resident.	Pattern	Potential for minimal harm
approved construction type or materials.	Pattern	Potential for minimal harm
corridors or aisles that are unobstructed and are at least 8 feet in width.	Pattern	Potential for minimal harm
resident room doors of proper design and width.	Pattern	Potential for minimal harm
Keep the rate of medication errors (wrong drug, wrong dose, wrong time) to less than 5%.	Isolated	Minimal harm or potential for actual harm
Provide rooms that are big enough for each resident.	Pattern	Potential for minimal harm

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

315474	BERKELEY MEADOWS	AVENUE 311 SPRINGFIELD AVENUE
--------	------------------	-------------------------------------

315474	BERKELEY MEADOWS	311 SPRINGFIELD AVENUE
--------	------------------	---------------------------

315474	BERKELEY MEADOWS	311 SPRINGFIELD AVENUE
--------	------------------	---------------------------

315474	BERKELEY MEADOWS	311 SPRINGFIELD AVENUE
--------	------------------	---------------------------

315474	BERKELEY MEADOWS	311 SPRINGFIELD AVENUE
--------	------------------	---------------------------

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

HEIGHTS

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	08/05/2009	08/31/2009
---------------------	----	-------	----------------	------------	------------

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	07/13/2010	07/31/2010
---------------------	----	-------	----------------	------------	------------

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	07/13/2010	07/31/2010
---------------------	----	-------	----------------	------------	------------

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	07/13/2010	07/31/2010
---------------------	----	-------	----------------	------------	------------

BERKELEY HEIGHTS	NJ	07922	(908) 464-9260	07/13/2010	07/31/2010
---------------------	----	-------	----------------	------------	------------

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

Fire Safety

Vertical Openings Deficiencies

Health

Resident Rights Deficiencies

Health

Pharmacy Service Deficiencies

Health

Environmental Deficiencies

Health

Administration Deficiencies

berkeley heights

Based on Nursing Home Compare - Survey Deficiency

enough for each resident.

exit doors that are held open by devices that will automatically close on the activation of a fire alarm or smoke detectors.

Isolated

Minimal harm or potential for actual harm

Allow residents to easily see the results of the nursing home's most recent survey.

Widespread

Potential for minimal harm

Properly mark drugs and other similar products.

Isolated

Minimal harm or potential for actual harm

Provide rooms that are big enough for each resident.

Isolated

Minimal harm or potential for actual harm

Choose a doctor to be the medical director.

Widespread

Potential for minimal harm